

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20040083202" and stub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:44
L2	1	"20020048284" and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:53
L3	2	"6324620".pn. and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:57
L4	1	"20040215639" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:59
L5	2	"20040083202" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:02
L6	2	"20030220998" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:04
L7	0	"200360018639" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:04
L8	0	"200360018639"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:04

EAST Search History

L9	3640929	20030018639and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:05
L10	0	"20030018639" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:05
L11	2	"20030018639"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:05
L12	0	"20030018639" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:07
L13	1	"6748383".pn. and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:11
L14	3	"20020152305" and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:13
L15	2	"5461614".pn. and (distance or distant or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:13
L16	8338	access near3 (history\$1 or log\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14

EAST Search History

L17	46675	(frequency with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14
L18	32296	L17 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14
L19	373	L16 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14
L20	71	L19 and ((mov\$3 or relocat\$4 or chang\$4) with (stor\$5 or data or device\$1) same (log\$1 or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14
L21	5	L20 and (network near4 (distance or distant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:17
L22	2	L20 and (network near4 short\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:20
L23	2012	(short\$4 near5 network) with (distance or path) and ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:21
L24	985	(shortest near5 network) with (distance or path) and ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:22

EAST Search History

L25	14	L24 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:26
L26	4	L25 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:28
L27	4	L26 and shortest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:29
L28	2	"20020169794" and shortest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:29
S1	1667659	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:01
S2	2	"85995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:01
S3	6	"785995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:26
S4	30331	access near3 (history\$1 or log\$1 or table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:28

EAST Search History

S5	21350	S4 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:28
S6	8322	access near3 (history\$1 or log\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 10:28
S7	5366	S6 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:54
S8	83	S7 and (access near3 (history\$1 or log\$1)) with (storage near2 device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 11:40
S10	10	S9 and (network with (distance or far or distant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 11:03
S11	8	S9 and (network with (distance or distant or path) with short\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:01
S12	2	"20030018639" and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:34
S13	263	S7 and (load adj balancing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:10

EAST Search History

S14	111	S13 and (user near3 (identificaiton or identity or profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:11
S15	97	S14 and (short\$4 or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:11
S16	90	S15 and (frequency or times)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:11
S17	80	S16 and (mov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:47
S18	0	"6954752".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:47
S19	2	"6954752".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:47
S20	0	"6954752".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:48
S21	372	S7 and (frequency with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:54

EAST Search History

S22	263	S21 and (identif\$6 with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 12:58
S23	85	S22 and ((mov\$3 or chang\$4 or relocat\$4) with stor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:00
S24	20	S22 and (((mov\$3 or chang\$4 or relocat\$4) with stor\$5) with (log or access or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:24
S25	3842	(relocat\$6 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:25
S26	49	S7 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:25
S27	49	S26 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:50
S28	2	"20030220998" and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:44
S29	2	"20030018639"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:50

EAST Search History

S30	21	S26 and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:50
S31	7	S30 and (user with frequen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:51
S32	46611	(frequency with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:55
S33	32257	S32 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:28
S34	372	S6 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:56
S35	85	S23 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:46
S36	0	S35 and relocat%	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:56
S37	9	S35 and (relocat\$4 with (data or stor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:57

EAST Search History

S38	9	S37 and (short\$4 or near\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:58
S39	372	S33 and (access near3 (log\$1 or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:02
S40	90	S39 and ((relocat\$4 or mov\$3) with (data nera5 stor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:13
S41	1715	S4 and ((short\$4 or near\$4) with (distance or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:04
S42	7	S40 and ((short\$4 or near\$4) with (distance or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:05
S43	5366	S7 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:05
S44	7	S42 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:06
S45	490	S33 and (access near5 (log or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:40

EAST Search History

S46	24	S45 and (movement near4 user\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:30
S47	18	S46 not guheen.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:35
S48	2	"6834289".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:35
S49	65	S33 and ((access near5 (log or history)) with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:40
S50	10	S49 and (user\$1 with (mov\$3 or movement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:48
S51	19749	(access near4 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:48
S52	13824	S51 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:49
S53	395	S52 and (access near5 (log or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:18

EAST Search History

S54	42	S53 and (user near5 (mov\$3 or relocat\$4 or movement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:50
S55	127571	(user near5 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:18
S56	84122	S55 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:19
S57	21	S56 and (((user near5 access) same frequency) same ((relocat\$4 or mov\$3) with (data or database or location or stor\$4))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:43
S58	2	"20020048284"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:43
S59	1	"20020048284" and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:57
S60	1	"5461614".pn. and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 16:48
S61	0	"20020114357" and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 16:08

EAST Search History

S62	0	"20020114357" and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 16:09
S63	2	"20020114357"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 16:09
S64	1	"20030177261".pn. and (history or log or mov\$4 or distant or distance or far or short\$4 or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:29
S65	2	"20030177261" and (access or log or history or management or change or predetermined or pre?determined or interval or set or advance or arbitrary or timing or user or identifaciton or profile or sending or includes or shortest or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:59
S66	1	"930765".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:54
S67	2	"20040215640"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:55
S68	2	"6112281".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:55
S69	2	"5860137".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:56

EAST Search History

S70	2	"20040117345"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:56
S71	2	"6173306".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:57
S72	2	"20050027719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:57
S73	2	"6983322".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:58
S74	2	"6584457".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:59
S75	2	"20040216539"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:59
S76	2	"20040215639"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 09:59
S77	2	"20040215883"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 10:00

EAST Search History

S78	1	"20030177261" and (access or log or history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 10:44
S79	2	"6834289".pn. and (access or log or history or management or change or predetermined or pre?determined or interval or set or advance or arbitrary or timing or user or identificaiton or profile or sending or includes or shortest or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:05
S80	2	"20040215639" and (access or log or history or management or change or predetermined or pre?determined or interval or set or advance or arbitrary or timing or user or identificaiton or profile or sending or includes or shortest or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:06
S81	2	"20020048284" and (access or log or history or management or change or predetermined or pre?determined or interval or set or advance or arbitrary or timing or user or identificaiton or profile or sending or includes or shortest or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:32
S82	8338	access near3 (history\$1 or log\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:47
S83	46675	(frequency with user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:47
S84	32296	S83 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:47
S85	373	S82 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 11:47

EAST Search History

S86	71	S85 and ((mov\$3 or relocat\$4 or chang\$4) with (stor\$5 or data or device\$1) same (log\$1 or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 16:14
S87	2	"20040083202" and (access or log or history or management or change or predetermined or pre?determined or interval or set or advance or arbitrary or timing or user or identificaiton or profile or sending or includes or shortest or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 12:00
S88	3805	distributed adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 13:04
S89	2666	S88 and @ad<"20021001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 13:05
S90	129	S89 and (access near5 (log or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:16